



**Specifications Philips LED Waterproof  
Batten CoreLine WT120C G2 22W  
2700lm - 840 Cool White | 120cm - Dali  
Dimmable**

[View Product](#)

## General Information

|                      |                                |
|----------------------|--------------------------------|
| SKU                  | 220784                         |
| EAN                  | 8718696883075                  |
| Manufacturer Code    | 88307500                       |
| Brand                | Philips                        |
| Manufacturer Name    | WT120C G2 LED27S/840 PSD L1200 |
| Budgetlight warranty | 5 Years                        |
| Average Lifetime (h) | 50000                          |
| D-Mark               | Yes                            |

## Technical Information

|                             |                    |
|-----------------------------|--------------------|
| Technology                  | LED Integrated     |
| Replaces (Watt)             | 1x36               |
| Wattage                     | 22W                |
| Voltage (V)                 | 220-240            |
| Dimmable                    | Dimmable with Dali |
| Colour of Light             | White              |
| Colour Code                 | 840 Cool White     |
| Colour temperature (Kelvin) | 4000 Cool White    |
| Colour Rendering (Ra)       | 80-89              |
| Light colour options        | Single Color       |

|                       |                       |
|-----------------------|-----------------------|
| Luminous Flux (Lumen) | 2700lm                |
| Lumen per watt        | 123                   |
| Power factor          | >0.90                 |
| Including bulb        | Yes                   |
| Suitable for Outdoor  | Yes                   |
| Length                | 120cm                 |
| Product Type Category | LED Waterproof Batten |

## Fixture Information

|                        |                                         |
|------------------------|-----------------------------------------|
| EOC8                   | 88307500                                |
| Mounting Method        | Surface                                 |
| Fixture Connection     | PIP [Push-in connector and pull relief] |
| Optical Cover          | PC (Polycarbonate)                      |
| IP-rating              | IP65                                    |
| Impact Protection (IK) | IK08 - 5 joules                         |
| Operating Temperature  | -20 to +35                              |
| Colour of the Fixture  | Grey                                    |
| Colour of material     | Grey                                    |
| Emergency Lighting     | No Emergency Unit                       |
| Product Serie          | WT120C                                  |

## Dimensions

|             |      |
|-------------|------|
| Length (mm) | 1215 |
| Width (mm)  | 76   |
| Height (mm) | 80   |

## Sensor Information

Type of sensor

No Sensor

## Why Budgetlight?



Guaranteed **budget prices**



Up to **7 years warranty**



**Easy** return process



Long-life **LED solutions**